












# Intelligent Power Distribution Unit

- a product of **aimac**<sup>™</sup>  
future. works

**AIMAC** introduces power protection and clean power systems with inbuilt intelligence. AIMAC Ensures Safety, Good Performance, Excellent Efficiency, Durability and Longer Life to connected equipments. Substantially reducing repair and maintenance cost.

**IMP**  
**D10 | D16 | D20**

# Features

<p><b>INTELLIGENT SYSTEM</b></p> 	<p><b>INRUSH CURRENT CONTROL</b></p> 	<p><b>HIGH VOLTAGE PROTECTION</b></p> 	<p><b>LOW VOLTAGE PROTECTION</b></p> 
<p><b>OVER LOAD AUDIO INDICATION</b></p> 	<p><b>ELEMINATE POWER NOTCHES &amp; POWER DISTORTION</b></p> 	<p><b>EXTERNAL PROTECTION FUSE</b></p> 	
<p><b>BANK SELECTION</b></p>  <p><small>Selected Models Only*</small></p>	<p><b>SURGE PROTECTION</b></p> 		
<p><b>DIP SWITCH FOR OPERATING VOLTAGE SELECTION</b></p>  <p><small>DIP SWITCH</small></p> <p><small>Selected Models Only*</small></p>	<p><b>DIGITAL DISPLAY WITH</b></p> <p><small>IPV: 250V    OPV: 232V</small></p> <p><small>OPC: 6.00    LOD: 95%</small></p> <p><small>Selected Models Only*</small></p>		
<p><b>SHORT CIRCUIT PROTECTION</b></p> 			



# IMP D10 | D16 | D20

Models	D10	D16	D20
Max Load	10 Amps	16 Amps	20 Amps
Family	IPDU	IPDU	IPDU
Line Voltage	230V	230V	230V
Bank Selection	NO	YES	YES
ISOLATED Banks	NO	NO	NO
Over Load Indications	YES	YES	YES
Low Voltage Cutoff	YES	YES	YES
High Voltage Cutoff	YES	YES	YES
Surge Protection	YES	YES	YES
Short Circuit Protection	YES	YES	YES
Digital Display	D10i	D16i	D20i
Rack Mountable	YES	YES	YES
ON/ Off Switch	YES	YES	YES
Operation/Fault indication	LED/Display	LED/Display	Display
Protected Inlet	YES	YES	YES
OUTLET	6+1	12+1	6+1+1
Dip Switch	<b>AVAILABLE ONLY ON SELECTED MODELS</b>		
Power Consumption	12W Max.	12W Max.	12W Max.
Dimensions in mm	400x300x50	400x300x50	400x300x50
Weight in Kgs	3.75 Kgs	4.0 Kgs	4.25 Kgs
Inside packing	Power Cable 3 Mtr x 1 No, IEC Cable 1.5 Mtrs x 2 Nos	Power Cable 3 Mtr x 1 No, IEC Cable 1.5 Mtrs x 2 Nos	Power Cable 3 Mtr x 1 No, IEC Cable 1.5 Mtrs x 2 Nos





aimac™

future. works

[support@aimac.io](mailto:support@aimac.io) | [www.aimac.io](http://www.aimac.io)

+91 984 304 4400